



## Univerzitet u Novom Sadu Medicinski fakultet

Hajduk Veljkova br. 3, 21000 Novi Sad, Srbija  
Telefon: (021) 420-678; faks (021) 6624-153  
e-mail: dekanmf@uns.ac.rs

### III TEHNIČKE KARAKTERISTIKE I KOLIČINA DOBARA- Partija 2- serveri

Šifra	Naziv i opis robe	K*	JM*	Cena po kom bez PDV-a
C1	<p><b>Cisco ISR 4351-SEC/K9</b></p> <p>Opis: Ruter sa dodatnim bezbednosnim opcijama i mogućnošću ugradnje modula Cisco NIM-1GE-CU-SFP. Upravljeni protok od 200Mbps sa mogućnošću proširenja do 400Mbps, 3 GB porta, 2 slot za proširenje servisnim modulima, 1 slot duple širine za proširenje servisnim modulima, 4GB RAM memorije sa mogućnošću proširenja do 16GB, 4GB Flash memorije sa mogućnošću proširenja do 16GB, 2 USB priključka, opcije napajanja: AC, DC i PoE. Podržani protokoli: IPv4, IPv6, static routes, Routing Information Protocol Versions 1 and 2 (RIP and RIPv2), Open Shortest Path First (OSPF), Enhanced IGRP (EIGRP), Border Gateway Protocol (BGP), BGP Router Reflector, Intermediate System-to-Intermediate System (IS-IS), Multicast Internet Group Management Protocol Version 3 (IGMPv3), Protocol Independent Multicast sparse mode (PIM SM), PIM Source Specific Multicast (SSM), RSVP, CDP, ERSPAN, IPSLA, CNS, Call Home, EEM, IKE, ACL, EVC, DHCP, FR, DNS, LISP, OTV, HSRP, RADIUS, AAA, AVC, Distance Vector Multicast Routing Protocol (DVMRP), IPv4-to-IPv6 Multicast, MPLS, Layer 2 and Layer 3 VPN, IP sec, Layer 2 Tunneling Protocol Version 3 (L2TPv3), Bidirectional Forwarding Detection (BFD), IEEE802.1ag, and IEEE802.3ah. U cenu je uračunato puštanje u rad u skladu sa postojećom konfiguracijom, tj. zamena postojećeg rutera Cisco ISR 2911 novim. Zamena mora biti obavljena u unapred definisanom vremenskom intervalu, ne dužem od tri sata, obzirom da je reč o uređaju u produkciji.</p> <p>Dodatni uslov: Oprema mora da bude nova, neotpakovana, nerefabrikovana i nabavljena autorizovanim prodajnim kanalom prodaje u Republici Srbiji što se potvrđuje od strane proizvođača ili predstavništva proizvođača u Republici Srbiji.</p> <p>Napomena: Detaljna specifikacija uređaja se nalazi na zvaničnom sajtu proizvođača.</p>	1	kom*	

Šifra	Naziv i opis robe	K*	JM*	Cena po kom bez PDV-a
C2	<b>SMARTNET za ISR 4351 CON-SNT-ISR4351S</b> Opis: Servisna podrška za uređaj Cisco ISR 4351-SEC/K9 po principu NBD (Next Business Day), mogućnost ažuriranja softvera na uređaju Cisco ISR 4351-SEC/K9. U cenu je uračunato ažuriranje IOS-a na uređaju u produkciji i to prve subote nakon dobijanja licence, kao i poslednje subote pre isteka licence. Vreme nefunkcionalnosti uređaja ne sme biti veće od po sat vremena. Napomena: Detaljna specifikacija uređaja se nalazi na zvaničnom sajtu proizvođača.	1	kom*	
C3	<b>Modul za ISR 4351 NIM-1GE-CU-SFP</b> Opis: 1GB RJ45 modul za proširenje uređaja Cisco ISR 4351-SEC/K9. U cenu je uračunato montiranje modula, s tim da uređaj u koji se montira ne sme biti nefunkcionalan duže od pola sata. Dodatni uslov: Oprema mora da bude nova, neotpakovana, nerefabrikovana i nabavljena autorizovanim prodajnim kanalom prodaje u Republici Srbiji što se potvrđuje od strane proizvođača ili predstavništva proizvođača u Republici Srbiji. Napomena: Detaljna specifikacija uređaja se nalazi na zvaničnom sajtu proizvođača.	1	kom*	
C4	<b>Cisco WS-C3650-24TS-S</b> Opis: Svič sa 24x1GB porta, kao i 4xSFP porta. Mogućnost dodavanja redundantnog napajanja. Kapacitet protoka od 88Gbps, maksimalan broj MAC adresa od 32000, RAM memorija 4Gb, Flash memorija 2Gb, CDP protokol. U cenu je uračunato puštanje u rad u skladu sa postojećom konfiguracijom, tj. zamena postojećeg sviča Cisco 3650 proizvedenog 2009. godine novim. Zamena mora biti obavljena u unapred definisanom vremenskom intervalu, ne dužem od tri sata, obzirom da je reč o uređaju u produkciji. Dodatni uslov: Oprema mora da bude nova, neotpakovana, nerefabrikovana i nabavljena autorizovanim prodajnim kanalom prodaje u Republici Srbiji što se potvrđuje od strane proizvođača ili predstavništva proizvođača u Republici Srbiji. Napomena: Detaljna specifikacija uređaja se nalazi na zvaničnom sajtu proizvođača.	1	kom*	

Šifra	Naziv i opis robe	K*	JM*	Cena po kom bez PDV-a
C5	<p><b>Cisco Wireless Controller AIR-CT2504-25-K9Z sa 25 licenci</b>                      Opis: Kontroler (zaseban uređaj) za centralno upravljanje Cisco pristupnim uređajima serije 1700, 25 licenci za povezivanje pristupnih uređaja (access point) sa mogućnošću povećanja broja licenci do 75, mogućnost povezivanja do 1000 klijenata. Kontroler podešava i upravlja svim pristupnim uređajima koji su na njega povezani. U cenu je uračunato puštanje u rad kao i povezivanje sa svih šest pristupnih uređaja AIR-CAP1702I-E-K9.                      Dodatni uslov: Oprema mora da bude nova, neotpakovana, nerefabrikovana i nabavljena autorizovanim prodajnim kanalom prodaje u Republici Srbiji što se potvrđuje od strane proizvođača ili predstavništva proizvođača u Republici Srbiji.                      Napomena: Detaljna specifikacija uređaja se nalazi na zvaničnom sajtu proizvođača.</p>	1	kom*	
C6	<p><b>Access Point AIR-CAP1702I-E-K9</b>                      Opis: Pristupni uređaji (access point) kojima se u potpunosti upravlja od strane kontrolera Cisco AIR-CT2504-25-K9Z. U cenu je uračunato puštanje u rad kao i povezivanje sa kontrolerom AIR-CT2504-25-K9Z.                      Dodatni uslov: Oprema mora da bude nova, neotpakovana, nerefabrikovana i nabavljena autorizovanim prodajnim kanalom prodaje u Republici Srbiji što se potvrđuje od strane proizvođača ili predstavništva proizvođača u Republici Srbiji.                      Napomena: Detaljna specifikacija uređaja se nalazi na zvaničnom sajtu proizvođača.</p>	6	kom*	
Legenda: K* - količina; JM* - jedinica mere; kom* - komad.				
Ili drugi ekvivalentan UREĐAJ istih tehničkih karakteristika i kvaliteta.				